

Phone: 916.683.7111  
Fax: 916.691.3168

Web: [www.elkgrovecity.org](http://www.elkgrovecity.org)

8401 Laguna Palms Way  
Elk Grove, California 95758



## Modification or Addition to Improvement Standards and Details

Modification Number: 20071231-1

Effective Date of Change: 12/31/2007

### **Modification:**


- Modification to T19:
  - Revised note 2 to specify pedestrian push button sign, R10-4b, per California MUTCD 2003 edition.
  - Added dimensions for the location of the 1B push button pole (6" behind back of crosswalk)

Amended specifications are attached. Projects with preconstruction conference prior to effective date not subject to modification.

### **Effect of Modification:**


- This modification will ensure the proper sign and size of the pedestrian push button sign as specified in the MUTCD and California MUTCD 2003 edition.
- And to ensure that there is clearance between the edge of sign and the sidewalk.

Request for Modification Initiated By:



2/1/08  
Date

Modification Reviewed for Conformity and  
Consistency to Standards:


  
City Engineer

3/11/08  
Date


Modification to Improvement Standards Approved:

  
Director of Public Works

3/11/08  
Date



**PEDESTRIAN PUSH BUTTON POLE**  
NOT TO SCALE




**COMBINED TRAFFIC SIGNAL  
PEDESTRIAN PUSH BUTTON POLE**  
NOT TO SCALE

**TYPE B  
PEDESTRIAN PUSH BUTTON**  
NOT TO SCALE

**NOTES:**

1. PEDESTRIAN PUSH BUTTON SHALL BE TYPE B, LARGE A.D.A. TYPE WITH A TWO-INCH (2") DIAMETER BUTTON.
2. PEDESTRIAN SIGNS SHALL BE METAL AND SHALL CONFORM TO STANDARD SIGN NO. R10-4b OF THE MUTCD 2003 EDITION AND CALIFORNIA MUTCD EDITION.
3. PEDESTRIAN PUSH BUTTON HOUSING SHALL BE EITHER DIE-CAST OR PERMANENT MOLD CAST ALUMINUM.
4. AUDIBLE PEDESTRIAN SIGNAL SHALL BE MODEL APS-10 BY INDICATOR CONTROLS CORPORATION, OR APPROVED EQUAL.
5. ALL PEDESTRIAN SIGNAL HEADS SHALL BE THE "COUNTDOWN" VARIETY.
6. PEDESTRIAN HEADS SIGNAL DISPLAY SHALL BE HIGH INTENSITY L.E.D. AND MUST MEET THE STATE SPECIFICATIONS REQUIREMENTS FOR LUMINANCE. THE DISPLAY SHALL INCLUDE SOLID (FILLED IN) "WALKING PERSON" AND "RAISED HAND" SYMBOLS.



**PEDESTRIAN SIGNAL FACE**  
SYMBOL TYPE  
NOT TO SCALE

DATE: 12/31/2007		NOT TO SCALE	
REVISION	BY	APPROVED	DATE
1	DC	DY	12/31/2007

CITY OF ELK GROVE - PUBLIC WORKS

**PEDESTRIAN PUSH BUTTON DETAIL**

APPROVED BY:  
*[Signature]*  
CITY ENGINEER

DRAWING NUMBER  
**T - 19**

