



NOTES:

1. SEE DRAWING ST-21A FOR REINFORCING & ADDITIONAL CONSTRUCTION NOTES.
2. IT MAY BE USED FOR RECONSTRUCTION OF TYPE A-7 DRIVEWAYS IN AREAS WITHOUT SUFFICIENT RIGHT-OF-WAY FOR STANDARD TYPE A-7 DRIVEWAY CONSTRUCTION AND WITHOUT WALKWAY EXTENSION ON TO ABUTTING PROPERTY.
3. NO PULL BOX, UTILITY VAULT, UTILITY POLE, MANHOLE OR SIMILAR APPURTENANCE SHALL BE LOCATED WITHIN SIDEWALK RAMP AREA.
4. IT IS DESIRABLE TO LOCATE ALL DRAIN INLETS OUT OF SIDEWALK RAMP AREA. USE OF DRAIN INLET WITHIN RAMP AREA REQUIRES SPECIAL DESIGN OF INLETS.

DATE: 02/12/007		NOT TO SCALE		CITY OF ELK GROVE - PUBLIC WORKS		APPROVED BY:	
				SIDEWALK RAMP FOR A-7 DRIVEWAYS WITHOUT ADDITIONAL R/W (NOT FOR NEW CONSTRUCTION)		_____ CITY ENGINEER	
REVISION	BY	APPROVED	DATE	DRAWING NUMBER		ST - 21B	