



Phone: 916.683.7111
Fax: 916.691.3168

Web: www.elkgrovecity.org

8401 Laguna Palms Way
Elk Grove, California 95758

Standards Update Transmittal

Reference Number: 2023-03
Standards: Improvement Standards, Section 3-6

Update:

1. Modification to Improvement Standards:
 - a. Section 3-6 – Drainage, Sewer, Water, Signing and Striping and Grading Layout, revise sub-item 3 “Streetlights” to remove “(unless it is appropriate to include with the signs and striping)”

Effect of Update:

1. This modification will ensure that striping signage and traffic calming details are complete and clearly identified on a dedicated plan sheet(s).
2. Prevent critical details such as lane widths and traffic calming devices being omitted or placed on other plan sheets inappropriately.
3. Allow quick and clear use of the plan sheet by Inspectors, contractors and others performing document review.

Request for Update Initiated By: John W. Pumphrey, Sr Const Insp 10/12/2022

Update Reviewed for Conformity and Consistency to Standards: *Shoab Alhary* 1/26/2023 | 9:02 AM PST
 SHOAB ALHARY, PE, ESD Manager Date

Update to Standards Approved: *Jeffrey R. Werner* 1/30/2023 | 3:39 PM PST
 JEFFREY R. WERNER, PE, City Engineer Date

3-6 DRAINAGE, SEWER, WATER, SIGNING AND STRIPING AND GRADING LAYOUT

On all subdivision plans, a separate plan is required for each of the following:

- Water
- Signing and Striping, including any required traffic calming features
- Streetlights
- Grading and erosion control

In addition, the storm drainage, sanitary sewer and water systems shall be shown on the plan and profile sheets. On all other plans, a composite plan layout of each system will be acceptable.

All plans showing the domestic water systems shall include signature blocks and be approved by the responsible water and fire departments. The signature block shall conform to Standard Drawing D-1 and shall be on the cover sheet of the plan set.